

专 注 建 筑 · 门 窗 · 幕 墙 始 于
FOCUS ON BUILDING DOORS AND WINDOWS
CURTAIN WALL BEGAN **1990**

 肯尼斯门窗
Kenneth door & windows

Sunpr 尚派 | 品牌VI设计 | 188 2328 8003

温 馨 提 示 
Warm Suggestion

本公司产品您可自由选择。图示仅为公司产品，
印刷过程可能令资料的产品图片跟实物有细微区别，
颜色与款式以实样为准，公司保留更改产品设计与规划的权利，
最终解释权属本公司，详情请垂询当地经销商。



战略合作伙伴 STRATEGIC PARTNER

给企业带来先进技术、管理经验，提升企业技术进步的核心竞争力和拓展国内外市场的能力，推动企业技术进步和产业升级的国内外先进企业之间的合作。

We will bring advanced technology and management experience to enterprises, improve the core competitiveness of enterprise's technological progress and expand the ability of domestic and foreign markets, and promote the cooperation between domestic and foreign advanced enterprises in technological progress and industrial upgrading.

公司简介 | Company profile

佛山市肯尼斯门窗有限公司位于佛山市南海区，厂区占地面积约一万多平方米，公司经过十多年来不断发展与转型，规模日益壮大，从研发、设计、模具、压铸、挤压、氧化、喷涂一直到包装、仓库整个工艺流程，全程实行电脑信息化管理。可根据市场需求设计生产各类铝合金型材及工艺型材。肯尼斯旗下拥有 4000 多平米的半成品及门窗成品制作厂房，引进全套先进数控设备，加工技术精湛，具有快捷生产大批量订单的能力。

公司拥有强大的研发能力、自主创新能力、技术力量雄厚。为适应市场需求，满足现代社会所倡导的节能、环保等理念开发出一系列新产品，其保温性能、隔音性能、水密性、气密性和抗风压性能均达到国内、国际领先水平。

公司成立以来，始终坚持“以人为本，诚信立业”的企业文化，以“立足国内、放眼国际、争创一流”为目标秉承“诚信经营、求实创新、专业设计、一流服务、质量保证”为企业精神。客户为先，想客户之所想，急客户之所急，自主创新，持续改善的宗旨，竭诚服务于广大的新老客户。做到“诚信铸就品牌，品质赢得市场”的经营理念，铸造一流品牌。让肯尼斯门窗走向世界，这是我们的共同愿景。

Kenneth Windows and doors co., LTD. Is located in nanhai district, foshan city, foshan city, the factory covers an area of about ten thousand square meters, the company after 10 years with no development and transformation, the growing scale, from r&d, design, tooling, casting, extrusion, oxidation, spraying to packing, warehouse the whole technological process, the full implementation of computer information management. We can design and produce all kinds of aluminum alloy profiles and process profiles according to market demand. With more than 4,000 square meters of semi-finished products and door and door finished products, Kenneth has the ability to produce large orders in a fast way by introducing a complete set of advanced numerical control equipment and exquisite processing technology. The company has strong research and development capability, independent innovation ability and strong technical force. In order to adapt to market demand, meet modern society advocated such as energy saving, environmental protection concept developed a series of new products, insulation, sound insulation performance, air tightness, water tightness and wind resistance performance meet the domestic and international leading level. Since its establishment, always adhere to the "people-oriented, sincerity" of corporate culture, in order to "based on domestic and international, to create" first-class as the goal, adhering to the "good faith management, strives for realism the innovation, professional design, excellent service, quality assurance" for the enterprise spirit. Customer first, want customer's thoughts, urgent customer's urgent, independent innovation, continuous improvement purpose, wholeheartedly serve the vast new and old customers. Be "honest to cast brand, quality wins the market" business philosophy, casting first-class brand. It's our Shared vision to make Kenneth's door and door open to the world.





产品色板
PRODUCT COLOR PLATE

平开窗 / 推拉窗 / 推拉门 / 平开门可选色板
Open window/push-pull window/sliding door/flat open for color selection

	白橡木		瓷泳银
	宝马紫金		宝马铁灰
	法兰白		瓷泳金
	苹果木		金橡木
	黄花梨		红酸枝

卫生间门可选色板
Bathroom door optional color board

	水曲柳		宝马紫金
	苹果金		宝马铂灰
	金香槟		亚马逊金檀
	美国金橡木		红酸枝
	黑色		

产品目录
PRODUCT DIRECTORY

- 005

幕墙系列 /Curtain wall series
- 005

平开窗系列 /Flat window series
- 005

推拉门系列 /Sliding door series
- 005

75 折叠门系列
75 folding door series
- 005

卫生间门系列
Bathroom door series
- 005

开位摆向图
The open position of the graph
- 009

阳光房系列 /Sun room series
- 009

推拉窗系列 /Push-pull window series
- 009

平开门系列 /Open door series
- 009

美式提拉窗 /American lift window
- 009

五金配件 /Hardware fitting
- 009

窗型图 / 阳光房简图
Window drawing/sunshine room schematic



1、质量轻 / The quality of light

在相同面积的比较下，玻璃幕墙的质量约为粉刷砖墙的 1/10 ~ 1/12，是大理石、花岗岩饰面湿工法墙的 1/15，是混凝土挂板的 1/5 ~ 1/7。一般建筑，内、外墙的质量约为建筑物总重量的 1/4 ~ 1/5。采用幕墙可大大的减轻建筑物的重量，从而减少基础工程费用。

In comparison of the same area, the quality of the glass curtain wall is about 1/10 ~ 1/12 of the painted brick wall, which is 1/15 of the wet work wall of marble and granite, and 1/5 ~ 1/7 of the concrete slabs. Generally, the quality of the building is about 1/4 ~ 1/5 of the total weight of the building. The use of curtain wall can greatly reduce the weight of buildings, thus reducing the cost of basic engineering.

2、设计灵活 / Flexible design

艺术效果好，建筑师可以根据自己的需求设计各种造型，可呈现不同颜色，与周围环境协调，配合光照等使建筑物与自然融为一体，让高楼建筑减少压迫感。 Art effect is good, the architect can according to your requirements design all sorts of modelling, can present a different color, with the surrounding environment coordination, cooperate the buildings such as light and natural be in harmony are an organic whole, let high-rise buildings to reduce pressure.

3、抗震能力强 / Strong earthquake resistance

采用柔性设计，抗风抗震能力强，是高建筑的最优选择。

With flexible design, anti-wind resistance is strong, and is the optimal choice of high buildings.

4、系统化施工 / Systematic construction

系统化的施工更容易控制好工期，且耗时较短。

ystematic construction is easier to control and time consuming.

5、现代化 / modern


可提高建筑新颖化、科技化，如光伏节能幕墙，双层通风道呼吸幕墙等与智能科技配套的设计。

It can improve the new construction and technology, such as the photovoltaic energy saving curtain wall, the double air duct breathing curtain wall, etc., and the design of intelligent technology.

6、更新维修方便 / Update and maintenance

方便建筑外围结构搭建、维修或者更新。

Convenient for building, maintenance or updating of the structure



Kenneth door & windows

SUNSHINE SERIES

阳光房系列

产品特点 /Product features

- 型材设计简单实用，框厚达 2.5mm，整体美观大方，简洁而舒适
- 高级防盗窗锁，安全牢固，独有特厚型材设计
- 独有的排水系统设计，所有接角全部使用防水胶，绝对密封，完全杜绝渗水
- 选配中空玻璃，将会大大提高其隔音、隔热性能
- 广泛用于住宅区、星级酒店、别墅、度假村、会所、现代化工厂

- The profile design is simple and practical, the frame thickness is 2.5 mm, the overall appearance is generous, concise and comfortable
- High security window lock, safe and firm, unique special thickness profile design
- Unique drainage system design, all the Angle of use of waterproof adhesive, absolute seal, completely eliminate water seepage
- The selection of insulating glass will greatly improve its sound insulation and insulation performance
- Widely used in residential, star hotel, villa, resort, club, modern factory



专注建筑·门窗·幕墙始于
FOCUS ON BUILDING DOORS AND WINDOWS
CURTAIN WALL BEGAN

1990

阳光房系列
SUN ROOM SERIES



Kenneth door & windows

CASEMENT WINDOWS SERIES

平开窗系列

产品特点 /Product features

- 型材设计简单实用，框厚达 2.5mm，整体美观大方，简洁而舒适
- 高级防盗窗锁，安全牢固，独有特厚型材设计
- 独有的排水系统设计，所有接角全部使用防水胶，绝对密封，完全杜绝渗水
- 选配中空玻璃，将会大大提高其隔音、隔热性能
- 广泛用于住宅区、星级酒店、别墅、度假村、会所、现代化工厂
- The profile design is simple and practical, the frame thickness is 2.5 mm, the overall appearance is generous, concise and comfortable
- High security window lock, safe and firm, unique special thickness profile design
- Unique drainage system design, all the Angle of use of waterproof adhesive, absolute seal, completely eliminate water seepage
- The selection of insulating glass will greatly improve its sound insulation and insulation performance
- Widely used in residential, star hotel, villa, resort, club, modern factory



65 断桥双外开平开窗 - 苹果木



50 非断桥平开窗 - 瓷泳金



50 非断桥窗纱一体平开窗 - 瓷泳金



65 断桥窗纱一体平开窗 - 苹果木




70 断桥平开窗 - 红酸枝



75 断桥平开窗 - 红酸枝



75 平开窗 - 红酸枝



90 断桥窗纱一体平开窗 - 金橡木



90 断桥窗纱一体平开窗 - 白橡木



90 断桥窗纱一体平开窗 - 金橡木



108 断桥窗纱一体平开窗 - 黄花梨



108 断桥窗纱一体平开窗 - 黄花梨



120 断桥窗纱一体平开窗 - 金橡木



135 断桥窗纱一体平开窗 - 红酸枝

Kenneth door & windows


PUSH-PULL WINDOW SERIE

推拉窗系列

产品特点 /Product features

- 型材设计简单实用，框厚达 2.5mm，整体美观大方，简洁而舒适
- 高级防盗窗锁，安全牢固，独有特厚型材设计
- 独有的排水系统设计，所有接角全部使用防水胶，绝对密封，完全杜绝渗水
- 选配中空玻璃，将会大大提高其隔音、隔热性能
- 广泛用于住宅区、星级酒店、别墅、度假村、会所、现代化工厂

- The profile design is simple and practical, the frame thickness is 2.5 mm, the overall appearance is generous, concise and comfortable
- High security window lock, safe and firm, unique special thickness profile design
- Unique drainage system design, all the Angle of use of waterproof adhesive, absolute seal, completely eliminate water seepage
- The selection of insulating glass will greatly improve its sound insulation and insulation performance
- Widely used in residential, star hotel, villa, resort, club, modern factory



70 系列断桥推拉窗 - 红酸枝

专注建筑·门窗·幕墙始于
FOCUS ON BUILDING DOORS AND WINDOWS
CURTAIN WALL BEGAN **1990**

推拉窗系列
PUSH-PULL WINDOW SERIES



70 系列非断桥推拉窗 - 金橡木



90 系列推拉窗 - 瓷泳金



125 断桥推拉窗 - 砂灰

Kenneth door & windows
SLIDING DOOR SERIES
 推拉门系列



产品特点 /Product features

- 型材设计简单实用，框厚达 2.5mm，整体美观大方，简洁而舒适
- 高级防盗窗锁，安全牢固，独有特厚型材设计
- 独有的排水系统设计，所有接角全部使用防水胶，绝对密封，完全杜绝渗水
- 选配中空玻璃，将会大大提高其隔音、隔热性能
- 广泛用于住宅区、星级酒店、别墅、度假村、会所、现代化工厂
- The profile design is simple and practical, the frame thickness is 2.5 mm, the overall appearance is generous, concise and comfortable
- High security window lock, safe and firm, unique special thickness profile design
- Unique drainage system design, all the Angle of use of waterproof adhesive, absolute seal, completely eliminate water seepage
- The selection of insulating glass will greatly improve its sound insulation and insulation performance
- Widely used in residential, star hotel, villa, resort, club, modern factory



70 系列断桥推拉门 - 宝马金

专注建筑·门窗·幕墙始于
 FOCUS ON BUILDING DOORS AND WINDOWS
 CURTAIN WALL BEGAN **1990**

推拉门系列
 SLIDING DOOR SERIES



70 系列断桥推拉门 - 宝马铁灰



70 系列断桥推拉门 - 白橡木



90 系列断桥推拉门 - 法兰白



90 系列断桥推拉门 - 瓷泳银



90 系列断桥推拉门 - 宝马金



120 提升推拉门 - 宝马铁灰



120 提升推拉门 - 瓷泳金



120 提升推拉门 - 瓷泳银



120 提升推拉门 - 白橡木



120 断桥提升推拉门 - 宝马金



120 断桥提升推拉门 - 宝马铁灰



120 断桥提升推拉门 - 法兰白



120 断桥提升推拉门 - 瓷泳金



120 系列推拉门 - 瓷泳银



120 系列推拉门 - 法兰白



120 系列推拉门 - 白橡木

Kenneth door & windows

OPEN DOOR SERIES

平开门系列



产品特点 /Product features

- 型材设计简单实用，框厚达 2.5mm，整体美观大方，简洁而舒适
 - 高级防盗窗锁，安全牢固，独有特厚型材设计
 - 独有的排水系统设计，所有接角全部使用防水胶，绝对密封，完全杜绝渗水
 - 选配中空玻璃，将会大大提高其隔音、隔热性能
 - 广泛用于住宅区、星级酒店、别墅、度假村、会所、现代化工厂
- The profile design is simple and practical, the frame thickness is 2.5 mm, the overall appearance is generous, concise and comfortable
 - High security window lock, safe and firm, unique special thickness profile design
 - Unique drainage system design, all the Angle of use of waterproof adhesive, absolute seal, completely eliminate water seepage
 - The selection of insulating glass will greatly improve its sound insulation and insulation performance
 - Widely used in residential, star hotel, villa, resort, club, modern factory



专注建筑·门窗·幕墙始于
FOCUS ON BUILDING DOORS AND WINDOWS
CURTAIN WALL BEGAN **1990**

平开门系列
OPEN DOOR SERIES



50 非断桥平开门 - 白橡木



60 断桥平开门 - 外咖啡内金橡木



65 断桥平开门 - 砂灰



65 断桥平开门 - 咖啡



70 断桥平开门 - 黄花梨



108 断桥窗纱平开门 - 黄花梨



135 断桥窗纱一体平开门 - 白橡木

Kenneth door & windows

75 FOLDING DOOR SERIES

75 折叠门系列

产品特点 /Product features

- 型材设计简单实用，框厚达 2.5mm，整体美观大方，简洁而舒适
 - 高级防盗窗锁，安全牢固，独有特厚型材设计
 - 独有的排水系统设计，所有接角全部使用防水胶，绝对密封，完全杜绝渗水
 - 选配中空玻璃，将会大大提高其隔音、隔热性能
 - 广泛用于住宅区、星级酒店、别墅、度假村、会所、现代化工厂
- The profile design is simple and practical, the frame thickness is 2.5 mm, the overall appearance is generous, concise and comfortable
 - High security window lock, safe and firm, unique special thickness profile design
 - Unique drainage system design, all the Angle of use of waterproof adhesive, absolute seal, completely eliminate water seepage
 - The selection of insulating glass will greatly improve its sound insulation and insulation performance
 - Widely used in residential, star hotel, villa, resort, club, modern factory



专注建筑·门窗·幕墙始于
FOCUS ON BUILDING DOORS AND WINDOWS
CURTAIN WALL BEGAN

75 折叠门系列
75 FOLDING DOOR SERIES

1990



75 折叠门 - 瓷泳银

Kenneth door & windows


American lift window

美式提拉窗

产品特点 /Product features

- 型材设计简单实用，框厚达 2.5mm，整体美观大方，简洁而舒适
- 高级防盗窗锁，安全牢固，独有特厚型材设计
- 独有的排水系统设计，所有接角全部使用防水胶，绝对密封，完全杜绝渗水
- 选配中空玻璃，将会大大提高其隔音、隔热性能
- 广泛用于住宅区、星级酒店、别墅、度假村、会所、现代化工厂

- The profile design is simple and practical, the frame thickness is 2.5 mm, the overall appearance is generous, concise and comfortable
- High security window lock, safe and firm, unique special thickness profile design
- Unique drainage system design, all the Angle of use of waterproof adhesive, absolute seal, completely eliminate water seepage
- The selection of insulating glass will greatly improve its sound insulation and insulation performance
- Widely used in residential, star hotel, villa, resort, club, modern factory







亚马逊金檀




金香槟





水曲柳





宝马紫金

NUMBER-057



红酸枝



金橡木



黑色


NUMBER-058



平开门锁位示意图
THE OPEN POSITION OF THE GRAPH



推拉门锁位示意图
SLIDING DOOR LOCK DIAGRAM



折叠门示意图
THE FOLDING DOOR SCHEMATIC

